

**Altra Lube 2025AS**

SDS Number: 61302

Revision Date: 5/23/2016

Page 1 of 4

**1 PRODUCT AND COMPANY IDENTIFICATION****Manufacturer**

Allegheny Petroleum Products Co.  
999 Airbrake Avenue  
Wilmerding, PA 15148

Phone: 1-412-829-1990

**Product Name:** Altra Lube 2025AS  
**Revision Date:** 5/23/2016  
**SDS Number:** 61302  
**CAS Number:** Blend  
**Product Code:** 61302

For emergencies contact Chemtrec at 1-800-424-9300

**2 HAZARDS IDENTIFICATION****Classification of the Substance or Mixture****GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Physical, Flammable Liquids, 4  
Health, Specific target organ toxicity - Single exposure, 3  
Health, Acute toxicity, 4 Dermal  
Health, Acute toxicity, 4 Inhalation  
Health, Skin corrosion/irritation, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A  
Health, Aspiration hazard, 1  
Health, Carcinogenicity, 2

**GHS Label Elements, Including Precautionary Statements**

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**

**GHS Hazard Statements:**

H227 - Combustible liquid  
H336 - May cause drowsiness or dizziness  
H312 - Harmful in contact with skin  
H332 - Harmful if inhaled  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H304 - May be fatal if swallowed and enters airways  
H351 - Suspected of causing cancer

**GHS Precautionary Statements:**

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P302+352 - IF ON SKIN: Wash with soap and water.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Altra Lube 2025AS**

SDS Number: 61302

Revision Date: 5/23/2016

Page 2 of 4

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P308+313 - IF exposed or concerned: Get medical advice/attention.

**3 COMPOSITION/INFORMATION OF INGREDIENTS****Ingredients:**

Cas#	%	Chemical Name
64742-94-5	65-75%	Solvent naphtha, petroleum, heavy arom.
8008-20-6	<5%	Kerosine, petroleum

**4 FIRST AID MEASURES**

**Inhalation:** If symptoms develop, move victim to fresh air.  
If symptoms persist, obtain medical attention.

**Skin Contact:** Wash with soap and water.  
Remove contaminated clothing and wash before reuse.  
Get medical attention if needed.

**Eye Contact:** Flush with water for several minutes.  
If effects occur, consult a physician.

**Ingestion:** Rinse mouth with water and drink 2-4 cups of water.  
Get immediate medical attention.

Note to Physician:  
Activated charcoal may be administered.

**5 FIRE FIGHTING MEASURES**

**Flash Point:** 66 C (151 F)  
**Flash Point Method:** PMCC

Use dry powder, foam, or carbon dioxide fire extinguishers.  
Water may be ineffective unless used by experienced fire fighters.

**6 ACCIDENTAL RELEASE MEASURES**

Eliminate sources of ignition - Heat, sparks, flame, and electricity  
Contain spilled material.  
Collect in suitable and properly labeled containers.  
Pick up excess with inert absorbant material  
Keep away from drains and ground water.

**7 HANDLING AND STORAGE**

**Handling Precautions:** Avoid contact with eyes, skin, or clothing.  
Keep away from sources of ignition.  
Do not pressurize, cut, weld, braze, solder, drill, or grind containers.  
Handle with care and avoid spillage on the floor (slippage).  
Ground and bond containers when transferring material

**Storage Requirements:** Keep away from sources of ignition. Store in a tightly closed container

**Altra Lube 2025AS**

SDS Number: 61302

Revision Date: 5/23/2016

Page 3 of 4

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

**Personal Protective Equipment:** Use of safety glasses and gloves are recommended.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Amber  
**Physical State:** Liquid  
**Solubility:** Nil in water  
**Spec Grav./Density:** 0.89 at 60 F (water=1)  
**Bulk Density:** 7.42 lbs/gal

**10 STABILITY AND REACTIVITY**

**Chemical Stability:** Product is stable under normal conditions.  
**Conditions to Avoid:** High temperatures above 50 C (122 F), sparks, and open flame.  
**Materials to Avoid:** Avoid strong oxidizing agents.  
May burn or react violently to flourine/oxygen mixtures.

**11 TOXICOLOGICAL INFORMATION**

Repeated skin contact with this product may cause dermatitis or an oil acne.  
No component is listed as a mutagen or teratogen.

**SKIN EFFECTS:**

Solvent Petroleum Naphtha no deaths reported at 4 ml/kg in rats. Slightly irritating in rabbits at 4 hours.

**ACUTE ORAL EFFECTS:**

Solvent Petroleum Naphtha LD50 10 ml/kg in rats.

**ACUTE INHALATION EFFECTS:**

Solvent Petroleum Naphtha no deaths at 710 ppm in rats at 4 hours.

**12 ECOLOGICAL INFORMATION**

Avoid exposing to the environment, no specific aquatic data available

**13 DISPOSAL CONSIDERATIONS**

Dispose of waste material in accordance with all local, state/provincial, and national requirements  
Do not flush to surface water or drains

**Altra Lube 2025AS**

SDS Number: 61302

Revision Date: 5/23/2016

Page 4 of 4

**14 TRANSPORT INFORMATION**

NA1993, Combustible liquid, -, PGIII, (Contains Petroleum Naphtha, Kerosene)

This material is not regulated for US DOT transportation in quantities less than 119 Gallons.

If shipping overseas, or via air, the proper shipping name is: Flammable liquid, n.o.s., (Contains Petroleum Naphtha, Kerosene), 3, UN1993, PGIII.

**15 REGULATORY INFORMATION**

Component (CAS#) [%] - CODES

Solvent naphtha, petroleum, heavy arom. (64742-94-5) [65-75%] TSCA

Kerosene, petroleum (8008-20-6) [&lt;5%] MASS, PA, TSCA

Regulatory CODE Descriptions

-----  
TSCA = Toxic Substances Control Act  
MASS = MA Massachusetts Hazardous Substances List  
PA = PA Right-To-Know List of Hazardous Substances**16 OTHER INFORMATION**

The information contained in this Safety Data Sheet relates only to the specific material designated. Allegheny Petroleum Products Co. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Allegheny Petroleum Products Co.